CC CC
CC CC
CC CC

CC CC - DELIVERY CODE - CC CC

CC CC
CC CC
CC CC

GGGGGGG 888888 11 222222 BBBBBBB
GG 88 88 111 22 22 BB BB
GG 88 88 11 222 BB BB
GG GGGG 888888 11 222 BBBBBB
GG GG 88 88 11 22 BB BB
GG GG 88 88 11 22 BB BB
GGGGGG 888888 11111111 22222222 BBBBBBB

PROCESSING SITE = CC

JOB ID = SYSTEM SEQUENCE = JBSB

77/03/27. 20.07.28.

23 MAR - NOTICE OF SPRING VACATION SCHEDULE, NEW VERSION OF
BMD P-SERIES. SEE THE BULLET.

0

CROSSTABS

4CON, 4CONCL, 4MR,
4PAR, 4PAS, 4PAM BY
GENSER

DATA DOCUMENTS/INC. SS-192

UNIVERSITY OF COLORADO COMPUTING CENTER

UNIVERSITY OF COLORADO COMPUTING CENTER

SPSS - STATISTICAL PACKAGE FOR THE SOCIAL SCIENCES

VERSION 6.5 (REVISED) -- JANUARY 1, 1977

RUN NAME	TRIAL RUN FOR THE PARLEMENT
FILE NAME	PARIS
VARIABLE LIST	CON,CONCL,MR,PAR,PAE,PAM,DCON,DCONCL,DMR,DPAR,DPAE,DPAM,YCON, YCONCL,YMR,YPAR,YPAE,YPAM,NOMAR,UNOMAR,DUOMAR,GRMAR,FRMAR,UNSMAR, DUSMAR,GRPOS,FRPOS,SPOS,GSPOS,FROFF,FRCL,FRMIL,FRDMAR,FRDNUN, SKIDS,BROPAR,CUZPAR,UNCPAR,SOFF,SCL,SMIL,SDMAR,SDNUN,VOBPAR, OFFIBP,PROPAR,AFTPAR,CARCNG,KIDTP,OBMR,POSBMR,MRPRO,MRAFT,MRCCNG, MRKMR,MRINT,MRPAR,POSPAR,GENSER,FPROPR,GRLOC,FRLOC,SLOC,GROCC, FROCC,SOCC,OFFMAR,OGRFIL,OFRFIL,OSFIL,OFILS,SFILGR,CFILGR,FRFILS, FILCFR,SFRFIL,CFRFIL,CGRFR,CSFR,SGRC,CGRSS,RCSGRS,YRCON,CCYR, YRMR,YEPAR,YRPAE,YAPAM,GRDEA,FRDEA,SONDEA,SAGMAR,WAGMAR,ADMAR, MSSAGE,MWSAGE,MADAGE,BRMAR,SISMAR,ZIZMAR,PRPROV,CMADPR,PROCON, GCONAG,MGRSAG,SMAGE,FGRDAG,SDAGE,AGECON,AGMR,PRAGE
INPUT MEDIUM	CARD
NO. OF CASES	799
INPUT FORMAT	FIXED(5X,6F1.0,1X,6F1.0,1X,6F1.0,1X,7F1.0,1X,4F1.0,2X,5F1.0, 1X,9F1.0,1X,6F1.0,1X,8F1.0,1X,3F1.0/5X,F2.0,1X,F2.0,1X,F2.0,1X, F2.0,1X,F2.0,1X,F2.0,1X,F2.0,1X,F2.0,1X,F2.0,1X,F2.0,1X,F2.0,1X,F2.0,1X, F1.0,1X,F2.0,1X,F1.0,1X,F2.0,1X,F1.0,1X,F2.0,1X,F2.0,1X,F2.0,1X, F2.0,1X,F2.0,1X,F2.0,1X,F2.0,1X,F2.0,1X,F2.0/5X,F2.0,1X, F2.0,1X,F2.0,1X,F2.0,1X,F2.0,1X,F2.0,1X,F2.0,1X,F2.0,1X,F2.0,1X, F2.0,1X,F2.0,1X,F2.0,1X,F2.0,1X,F2.0,1X,F2.0,1X,F2.0,1X,F2.0,1X, F2.0,1X,F2.0,1X,F2.0,1X,F2.0,1X,F2.0,1X,F2.0,1X,F2.0,1X,F2.0)

ACCORDING TO YOUR INPUT FORMAT, VARIABLES ARE TO BE READ AS FOLLOWS

VARIABLE	FORMAT	RECORD	COLUMNS
CON	F 1. 0	1	6- 6
CONCL	F 1. 0	1	7- 7
MR	F 1. 0	1	8- 8
PAR	F 1. 0	1	9- 9
PAE	F 1. 0	1	10- 10
PAM	F 1. 0	1	11- 11
DCON	F 1. 0	1	13- 13
DCONCL	F 1. 0	1	14- 14
DMR	F 1. 0	1	15- 15
DPAR	F 1. 0	1	16- 16
DPAE	F 1. 0	1	17- 17
DPAM	F 1. 0	1	18- 18
YCON	F 1. 0	1	20- 20
YCONCL	F 1. 0	1	21- 21

DATA DOCUMENTS/INC. SS-192

UNIVERSITY OF COLORADO COMPUTING CENTER

ACCORDING TO YOUR INPUT FORMAT, VARIABLES ARE TO BE READ AS FOLLOWS

VARIABLE	FORMAT	RECORD	COLUMNS
YMR	F 1. 0	1	22- 22
YPAR	F 1. 0	1	23- 23
YPAE	F 1. 0	1	24- 24
YPAM	F 1. 0	1	25- 25
NOMAR	F 1. 0	1	27- 27
UNOMAR	F 1. 0	1	28- 28
DUOMAR	F 1. 0	1	29- 29
GRMAR	F 1. 0	1	30- 30
FRMAR	F 1. 0	1	31- 31
UNSMAR	F 1. 0	1	32- 32
DUSMAR	F 1. 0	1	33- 33
GRPOS	F 1. 0	1	35- 35
FRPOS	F 1. 0	1	36- 36
SPOS	F 1. 0	1	37- 37
GSPOS	F 1. 0	1	38- 38
FROFF	F 1. 0	1	41- 41
FRCL	F 1. 0	1	42- 42
FRMIL	F 1. 0	1	43- 43
FRDMAR	F 1. 0	1	44- 44
FRDNUN	F 1. 0	1	45- 45
SKIDS	F 1. 0	1	47- 47
BROPAR	F 1. 0	1	48- 48
CUZPAR	F 1. 0	1	49- 49
UNCPAR	F 1. 0	1	50- 50
SOFF	F 1. 0	1	51- 51
SCL	F 1. 0	1	52- 52
SMIL	F 1. 0	1	53- 53
SDMAR	F 1. 0	1	54- 54
SDNUN	F 1. 0	1	55- 55
VOBPAR	F 1. 0	1	57- 57
OFFIBP	F 1. 0	1	58- 58
PROPAR	F 1. 0	1	59- 59
AFTPAR	F 1. 0	1	60- 60
CARCNG	F 1. 0	1	61- 61
KIDIP	F 1. 0	1	62- 62
OBMR	F 1. 0	1	64- 64
POSBMR	F 1. 0	1	65- 65
MRPRO	F 1. 0	1	66- 66
MRAFT	F 1. 0	1	67- 67
MRCCNG	F 1. 0	1	68- 68
MRKMR	F 1. 0	1	69- 69
MRINT	F 1. 0	1	70- 70
MRPAR	F 1. 0	1	71- 71
POSPAR	F 1. 0	1	73- 73
GENSER	F 1. 0	1	74- 74
FPROPR	F 1. 0	1	75- 75

DATA DOCUMENTS/INC., SS-192

UNIVERSITY OF COLORADO COMPUTING CENTER

ACCORDING TO YOUR INPUT FORMAT, VARIABLES ARE TO BE READ AS FOLLOWS

VARIABLE	FORMAT	RECORD	COLUMNS
GRLOC	F 2. 0	2	6- 7
FRLOC	F 2. 0	2	9- 10
SLOC	F 2. 0	2	12- 13
GROCC	F 2. 0	2	15- 16
FROCC	F 2. 0	2	18- 19
SOCC	F 2. 0	2	21- 22
OFFMAR	F 2. 0	2	24- 25
OGRFIL	F 2. 0	2	27- 28
OFRFIL	F 2. 0	2	30- 31
OSFIL	F 2. 0	2	33- 34
OFILS	F 2. 0	2	36- 37
SFILGR	F 1. 0	2	39- 39
CFILGR	F 2. 0	2	41- 42
FRFILS	F 1. 0	2	44- 44
FILCFR	F 2. 0	2	46- 47
SFRFIL	F 1. 0	2	49- 49
CFRFIL	F 2. 0	2	51- 52
CGRFR	F 2. 0	2	54- 55
CSFR	F 2. 0	2	57- 58
SGRC	F 2. 0	2	60- 61
CGRSS	F 2. 0	2	63- 64
RCSGRS	F 2. 0	2	66- 67
YRCON	F 2. 0	2	69- 70
CCYR	F 2. 0	2	72- 73
YRMR	F 2. 0	2	75- 76
YEPAR	F 2. 0	2	78- 79
YRPAE	F 2. 0	3	6- 7
YAPAM	F 2. 0	3	9- 10
GRDEA	F 2. 0	3	12- 13
FRDEA	F 2. 0	3	15- 16
SONDEA	F 2. 0	3	18- 19
SAGMAR	F 2. 0	3	21- 22
WAGMAR	F 2. 0	3	24- 25
ADMAR	F 2. 0	3	27- 28
MSSAGE	F 2. 0	3	30- 31
MWSAGE	F 2. 0	3	33- 34
MADAGE	F 2. 0	3	36- 37
BRMAR	F 2. 0	3	39- 40
SISMAR	F 2. 0	3	42- 43
ZIZMAR	F 2. 0	3	45- 46
PRPROV	F 2. 0	3	48- 49
CMADPR	F 2. 0	3	51- 52
PROCON	F 2. 0	3	54- 55
GCONAG	F 2. 0	3	57- 58
MGRSAG	F 2. 0	3	60- 61
SMAGE	F 2. 0	3	63- 64

DATA DOCUMENTS/INC., SS-192

UNIVERSITY OF COLORADO COMPUTING CENTER

ACCORDING TO YOUR INPUT FORMAT, VARIABLES ARE TO BE READ AS FOLLOWS

VARIABLE	FORMAT	RECORD	COLUMNS
FGRDAG	F 2. 0	3	66- 67
SDAGE	F 2. 0	3	69- 70
AGECON	F 2. 0	3	72- 73
AGMR	F 2. 0	3	75- 76
PRAGE	F 2. 0	3	78- 79

THE INPUT FORMAT PROVIDES FOR 111 VARIABLES. 111 WILL BE READ
IT PROVIDES FOR 3 RECORDS (*CARDS*) PER CASE. A MAXIMUM OF 79 *COLUMNS* ARE USED ON A RECORD.

```
MISSING VALUES CON(0)/CONCL(0)/MR(0)/PAR(0)/PAE(0)/PAM(0)/DCON(0,1)/DCONCL(0,1)/
               DMR(0,1)/DPAR(0,1)/DPAE(0,1)/DPAM(0,1)/YCON(0,1)/YCONCL(0,1)/
               YMR(0,1)/YPAR(0,1)/YPAE(0,1)/YPAM(0,1)/NOMAR(0)/UNOMAR(0,1)/
               DUOMAR(0,1)/GRMAR(0)/FRMAR(0)/UNSMAR(0,1)/DUSMAR(0,1)/GRPOS(0)/
               FRPOS(0)/SPOS(0)/GSPOS(0)/FROFF(0)/FRCL(0)/FRMIL(0)/FRDMAR(0)/
               FRDNUN(0)/SKIDS(0)/BROPAR(0)/CUZPAR(0,1)/UNCPAR(0,1)/SOFF(0)/
               SCL(0)/SMIL(0)/SDMAR(0)/SDNUN(0)/VOBPAR(0,1)/OFFIBP(0,1)/PROPAR
               (0,1)/AFTPAR(0,1)/CARCNG(0,1)/KIDIP(0,1)/OBMR(0,1)/POSBMR(0,1)/
               MRPRO(0,1)/MRAFT(0,1)/MRCCNG(0,1)/MRKMR(0,1)/MRINT(0,1)/MRPAR(0,1
               )/POSPAR(0)/GENSER(0)/FPROPR(0,1)/GRLOC(0)/FRLOC(0)/SLOC(0)/GROCC
               (0)/FROCC(0)/SOCC(0)/OFFMAR(0,1)/OGRFIL(0)/OFRFIL(0)/OSFIL(0,1)/
               OFILS(0,1)/SFILGR(0)/CFILGR(0)/FRFILS(0,1)/FILCFR(0,1)/SFRFIL
               (0,1)/CFRFIL(0,1)/CGRFR(0)/CSFR(0)/SGRC(0)/CGRSS(0)/RCSGRS(0)/
MISSING VALUES YRCON(0,99)/CCYR(0,99)/YRMR(0,99)/YEPAR(0,99)/YRPAE(0,99)/YAPAM
               (0,99)/GRDEA(0,99)/FRDEA(0,99)/SONDEA(0,99)/SAGMAR(0,99)/WAGMAR
               (0,99)/ADMAR(0,99)/MSSAGE(0,99)/MWSAGE(0,99)/MADAGE(0,99)/BRMAR
               (0)/SISMAR(0)/ZIZMAR(0)/PRPROV(0)/CMADPR(0)/PROCON(0)/GCONAG(0)/
               MGRSAG(0)/SMAGE(0)/FGRDAG(0)/SDAGE(0)/AGECON(0,99)/AGMR(0,99)/
               PRAGE(0,99)
CROSSTABS      VARIABLES=YCON(0,9),YCONCL(0,9),YMR(0,9),YPAR(0,9),YPAE(0,9),
               YPAM(0,9)/GENSER(1,7)/TABLES=YCON,YCONCL,YMR,YPAR,YPAE,YPAM BY
               GENSER
STATISTICS     ALL
READ INPUT DATA
```

043100 CM NEEDED FOR CROSSTABS

DATA DOCUMENTS/INC_SS-192

UNIVERSITY OF COLORADO COMPUTING CENTER

FILE PARIS (CREATION DATE = 77/03/27.)

* CROSSTABULATION OF *

YCON BY GENSER

* * * * * * * * * * * * * * * * * * * \

LAMBDA (ASYMMETRIC) = .03419 WITH YCON DEPENDENT. = .00382 WITH GENSER DEPENDENT.
LAMBDA (SYMMETRIC) = .02121
UNCERTAINTY COEFFICIENT (ASYMMETRIC) = .02556 WITH YCON DEPENDENT. = .03885 WITH GENSER DEPENDENT.
UNCERTAINTY COEFFICIENT (SYMMETRIC) = .03084
KENDALL≠S TAU B = -.07897. SIGNIFICANCE = .0170
KENDALL≠S TAU C = -.06546. SIGNIFICANCE = .0170
GAMMA = -.11123
SOMERS≠S D (ASYMMETRIC) = -.08852 WITH YCON DEPENDENT. = -.07046 WITH GENSER DEPENDENT.
SOMERS≠S D (SYMMETRIC) = -.07846
ETA = .16238 WITH YCON DEPENDENT.
ETA = .18178 WITH GENSER DEPENDENT.

NUMBER OF MISSING OBSERVATIONS = 290

DATA DOCUMENTS/INC., SS-192

UNIVERSITY OF COLORADO COMPUTING CENTER

FILE PARIS (CREATION DATE = 77/03/27.)

* CROSSTABULATION OF *

YCONCL BY GENSER

* * * * * * * * * * * * * * * * * * * \

LAMBDA (ASYMMETRIC) = .02381 WITH YCONCL DEPENDENT. = .06452 WITH GENSER DEPENDENT.
LAMBDA (SYMMETRIC) = .04110
UNCERTAINTY COEFFICIENT (ASYMMETRIC) = .11256 WITH YCONCL DEPENDENT. = .18342 WITH GENSER DEPENDENT.
UNCERTAINTY COEFFICIENT (SYMMETRIC) = .13951
KENDALL≠S TAU B = .04338. SIGNIFICANCE = .3315
KENDALL≠S TAU C = .03607. SIGNIFICANCE = .3315
GAMMA = .06428
SOMERS≠S D (ASYMMETRIC) = .04950 WITH YCONCL DEPENDENT. = .03802 WITH GENSER DEPENDENT.
SOMERS≠S D (SYMMETRIC) = .04300
ETA = .16676 WITH YCONCL DEPENDENT.
ETA = .32741 WITH GENSER DEPENDENT.

NUMBER OF MISSING OBSERVATIONS = 725

DATA DOCUMENTS/INC. SS-192
UNIVERSITY OF COLORADO COMPUTING CENTER

FILE PARIS (CREATION DATE = 77/03/27.)

* * * * * * * * * * * * * * * * * * * CROSSTABULATION OF * * * * * * * * * * * * * * * * * * *

YMR BY GENSER

* * * * * * * * * * * * * * * * * * \

LAMBDA (ASYMMETRIC) = .00459 WITH YMR DEPENDENT. = 0 WITH GENSER DEPENDENT.

LAMBDA (SYMMETRIC) = .00299

UNCERTAINTY COEFFICIENT (ASYMMETRIC) = .01688 WITH YMR DEPENDENT. = .03026 WITH GENSER DEPENDENT.

UNCERTAINTY COEFFICIENT (SYMMETRIC) = .02168

KENDALL≠S TAU B = .01313. SIGNIFICANCE = .3957

KENDALL≠S TAU C = .01110. SIGNIFICANCE = .3957

GAMMA = .01862

SOMERS≠S D (ASYMMETRIC) = .01587 WITH YMR DEPENDENT. = .01086 WITH GENSER DEPENDENT.

SOMERS≠S D (SYMMETRIC) = .01290

ETA = .08846 WITH YMR DEPENDENT.

ETA = .08111 WITH GENSER DEPENDENT.

NUMBER OF MISSING OBSERVATIONS = 520

DATA DOCUMENTS/INC. SS-192

UNIVERSITY OF COLORADO COMPUTING CENTER

FILE PARIS (CREATION DATE = 77/03/27.)

* * * * * * * * * * * * * * * * * * * CROSSTABULATION OF * * * * * * * * * * * * * * * * * * *

YPAR BY GENSER

* * * * * * * * * * * * * * * * * * \

NUMBER OF MISSING OBSERVATIONS = 783

DATA DOCUMENTS/INC. SS-192

UNIVERSITY OF COLORADO COMPUTING CENTER

FILE PARIS (CREATION DATE = 77/03/27.)

* * * * * * * * * * * * * * * * * * * CROSSTABULATION OF * * * * * * * * * * * * * * * * * * *

YPAE BY GENSER

* * * * * * * * * * * * * * * * * * \

LAMBDA (ASYMMETRIC) = .06897 WITH YPAE DEPENDENT. = .07143 WITH GENSER DEPENDENT.
LAMBDA (SYMMETRIC) = .06977
UNCERTAINTY COEFFICIENT (ASYMMETRIC) = .12539 WITH YPAE DEPENDENT. = .24860 WITH GENSER DEPENDENT.
UNCERTAINTY COEFFICIENT (SYMMETRIC) = .16670
KENDALL≠S TAU B = -.06127. SIGNIFICANCE = .3341
KENDALL≠S TAU C = -.05660. SIGNIFICANCE = .3341
GAMMA = -.08667
SOMERS≠S D (ASYMMETRIC) = -.07580 WITH YPAE DEPENDENT. = -.04952 WITH GENSER DEPENDENT.
SOMERS≠S D (SYMMETRIC) = -.05991
ETA = .06907 WITH YPAE DEPENDENT.
ETA = .39963 WITH GENSER DEPENDENT.

NUMBER OF MISSING OBSERVATIONS = 764

DATA DOCUMENTS/INC. SS-192
UNIVERSITY OF COLORADO COMPUTING CENTER

FILE PARIS (CREATION DATE = 77/03/27.)

* * * * * * * * * * * * * * * * * * * CROSSTABULATION OF * * * * * * * * * * * * * * * * * * *

YPAM BY GENSER

* * * * * * * * * * * * * * * * * * \

KENDALL≠S TAU C = .25377. SIGNIFICANCE = .0463

GAMMA = .34579

SOMERS≠S D (ASYMMETRIC) = .28794 WITH YPAM DEPENDENT. = .25342 WITH GENSER DEPENDENT.

SOMERS≠S D (SYMMETRIC) = .26958

ETA = .55027 WITH YPAM DEPENDENT.

ETA = .71296 WITH GENSER DEPENDENT.

NUMBER OF MISSING OBSERVATIONS = 772

DATA DOCUMENTS/INC., SS-192

UNIVERSITY OF COLORADO COMPUTING CENTER